

Pearce Measurements:

Prosc Width: 37'

Prosc Height: 21' 6"

Stage Depth: 24'

Apron Depth: 7' 6"

Trim Height: Max: 39'
Min: 2'

Prosc to cyc: 21' 4 1/2"

SL Fire curtain to vent: 10' 7"

SL Loading door to fire curtain: 11' 2 1/2"

SL fire curtain to back wall: 22' 6 1/2"

SL rail ladder to big vent: 19' 3"

Bottom of fly rail to ground: 9' 3"

Open area past rail to fire curtain: 4'

SL Loading door: 9' x 9'

Height of loading dock: 5' 11"

Fire Hose: 3' from floor, 9" off wall, 10' to fire curtain

SR Fire curtain to back wall: 22' 4"

SR fire curtain to big vent: 9' 10"

SR Double door lip to fire curtain: 13' 4"

SR box door to vent: 12' 3 3/4"

SM Wall to back door: 22' 6"

Big Stage Door: 9'6" x 7' 3 1/2"

Geiger Outside door: 6'5" x 4'7"

Holding Hallway: 12' 8 1/2" x 6' 4 3/4" (Plaster by stage door)

Geiger crossover door: 6'3" x 5'7"

Crossover: ~5' (by elevator wall to X closet) x 22' 5 3/4" (door to door)


Door to stairwell: 6'3" x 2'9"

Doorway to stairs: 8' 4 1/4"

Archway in Stairwell: 6'8" x 4'2"

Side of stairway to SL Stage door: 3'11"

SL Stagedoor: 6'7 1/2" x 5'8"



**Burd Center
Hosch Theatre**

Hosch Measurements:

Prosc Width: 38'

Prosc Height: 21' 3"

Stage Depth: 32' 10"

Apron Depth: 12' 6"

Prosc to cyc: 27' 7 1/2"

Trim Height: Max - 50'

Min - 3' 3"

SL Offstage area: 37' 3" x 32' 6" (Wall to wall & wall to stage door)

Doors to Bobbit: 6' 9" x 5' 7"

SL Columns to Bobbit door: 22' 9"

SL Columns to back wall: 7'

Space between columns: 12'

Company Switch: 3'9" x 5'3"

From side door to company switch: 2' 10 1/2"

SM Console: 2 1/2" x 2' 1 1/2"

From side door to SM Console: 4' 2 1/2"

From SM Console to fire curtain: 7' 7"

Garage door to SL edge of stage: 44' 7"

Garage door to 2nd column: 39' 7"

Garage door to stage: ~22' x 7'

Garage door to dock: ~22' x 13' 11"

Rail wall to Stage floor: 5' 8 1/4"

SR Door to hallway: 6' 4" x 5' 10"

SR Door to weight gallery ladder: 28' 8"

Rail Light: 7' 5" off the ground & 4' 2 1/2" to stage floor

Dock Height: 3' 7 1/2"

Dock Gate: 6'

Between pylons: 11' 3"

Bobbit: 37' 7 1/2" x 27' 9 1/2"

Bobbit door to outside: 7' 11" x 4' 11"

Height 15'6"


24'8"

37'2"

36'1"

12'6"

Walters



Walters Measurements:

Prosc. Width: 36' 1 3/4"

PL to USWall: 24' 8"

US Columns Protrude: 8"

Apron Depth: 12' 6"

PL to Cyc: 21' 2"

Off SL USWall to back wall: 25' 5"

Off SL USWall to Stairwell wall: 16'9"

Garage door to fire curtain: 27' 8"

Garage door: ~20' x 10' 1/2"

Dock Height: 1' 10 1/4"

Stairwell back wall to fire curtain: 15' 5"

Workroom length: 30' 6 3/4"

Storage shelves to paint wall: 14'

Storage shelves to bathroom: 6' 5"

Bathroom to dock door: 5' 9"

Gray cabinet to back wall: 12' 4"

Workroom door to dock: ~7' 4" x 2' 10"